



Revolution Products

Devain Library Furniture 2010 Price List



Revolution Products
109 White Oak Road, Bldg. C1
Greenville, SC 29609
800-241-9810 / Fax: 800-241-9827

Devain

Welcome to Devain from Revolution Products. Based in the Macintosh Style of furniture, Devain will compliment any architectural setting.

Index

I.	Terms and Conditions	
II.	Devain Reading Tables	Pgs. 3-5
III.	Devain IT Tables with monitor racks	Pgs. 6-7
IV.	Devain IT Workstations with adjustable height work surfaces	Pgs. 8-9
V.	Devain Single Face & Hexagonal Study Carrels	Pg. 10
VI.	Devain Double Face Study Carrels	Pg. 11
VII.	Devain Display Units	Pg. 12
VIII.	Devain End Panels	Pgs. 13-19

Devain

Terms of Sale: All prices are FOB Greenville, SC. Net 30 days from date of shipment. All prices are list and subject to change without notice. Interest of 2% per month will be assessed on past due invoices. Possession of price list does not constitute authority to purchase or sell products herein.

Taxes: All applicable taxes are extra. If a client is tax exempt please provide tax certificate.

Ordering: Orders must have all pertinent information provided before they will be processed and entered including model numbers, quantities and finish, laminate and fabric selections where appropriate. Please provide a requested by date, or not to ship before date on your order.

Warranty: All items are warranted for 10 years unless otherwise stated. Warranty is for initial purchaser and only valid as long as the product is owned by original customer. The warranty, which begins at date of manufacture, covers defects in materials and workmanship found during the normal usage of product during the warranty period. Revolution Products will at it's option repair or replace the defective product with a comparable component or product. Warranty does not cover any "Customers Own Material" used in manufacture. Except as stated above, Revolution Products makes no express or implied warranties as to any product and in particular makes no warranty of fitness for any particular use. At Revolution Products option, product repair, or replacement is the customer's exclusive remedy for any and all product defects.


BIFMA and ANSI Testing: All products offered by Revolution Products meet or exceed applicable BIFMA and ANSI testing standards.

New Accounts: New Accounts can only be established with the approval of a Revolution Products representative. New accounts will be subject to special credit reference requirements and deposit terms before they are approved.



Devain

READING TABLES




MODEL NUMBER	DESCRIPTION	LIST PRICE
D-3648-O	Table 36" deep x 48" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on all edges in oak, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	2333.00
D-3060-O	Table 30" deep x 60" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on all edges in oak, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	2413.00
D-3660-O	Table 36" deep x 60" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on all edges in oak, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	2450.00
D-3672-O	Table 36" deep x 72" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on all edges in oak, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	2577.00
D-3696-O	Table 36" deep x 96" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on all edges in oak, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	3092.00



Devain


READING TABLES



MODEL NUMBER	DESCRIPTION	LIST PRICE
D-4272-O	Table 42" deep x 72" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on all edges in oak, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	2989.00
D-4284-O	Table 42" deep x 84" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on all edges in oak, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	3135.00
D-4296-O	Table 42" deep x 96" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on all edges in oak, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	3158.00
D-4872-O	Table 48" deep x 72" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on all edges in oak, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	2989.00
D-4884-O	Table 48" deep x 84" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on all edges in oak, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	3170.00

Devain

READING TABLES




MODEL NUMBER	DESCRIPTION	LIST PRICE
D-4896-O	Table 48" deep x 96" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on all edges in oak, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	3207.00
D-4242-O	Table 42" square, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop oak edge banding on all edges, 2 3/8" solid oak legs attach to the underside of the top with 5" square metal plates	1839.00
D-4848-O	Table 48" square, HPL top 1 1/4" thick with 3/4" thick x 1 5/8" high drop oak edge banding on all edges, 2 3/8" solid oak legs attach to the underside of the top with 5" square metal plates	1986.00
D-42R-O	Table 42" round, HPL top 1 1/4" thick with 3/4" thick x 1 5/8" high drop oak edge banding, 2 3/8" square solid oak legs attach to the underside of the top with 5" square metal plates	1839.00
D-48R-O	Table 48" round, HPL top 1 1/4" thick with 3/4" thick x 1 5/8" high drop oak edge banding, 2 3/8" square solid oak legs attach to the underside of the top with 5" square metal plates	2047.00
SUFFIX -M	For maple tables change suffix O to M and add 7 percent	
SUFFIX-C	For cherry tables change suffix O to C an consult factory for upcharge.	



Devain

INFORMATION TECHNOLOGY TABLES WITH MONITOR RACKS




MODEL NUMBER	DESCRIPTION	LIST PRICE
D-3036-O-IT	IT table 30" deep x 36" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding in solid oak on all edges, a 10" high monitor rack runs across the back extending forward 10" on each end, 2 each end frames consisting of 2 3/8" square eased solid oak legs with 2 3/8" high apron and stretcher attach to the underside of the table with 5" square metal plates, a box ladder keel spans the length of the table and attaches to the leg frames with threaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	2615.00
D-3048-O-IT	IT table 30" deep x 48" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding in solid oak on all edges, a 10" high monitor rack runs across the back extending forward 10" on each end, 2 each end frames consisting of 2 3/8" square eased solid oak legs with 2 3/8" high apron and stretcher attach to the underside of the table with 5" square metal plates, a box ladder keel spans the length of the table and attaches to the leg frames with threaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	3355.00
D-3060-O-IT	IT table 30" deep x 60" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding in solid oak on all edges, a 10" high monitor rack runs across the back extending forward 10" on each end, 2 each end frames consisting of 2 3/8" square eased solid oak legs with 2 3/8" high apron and stretcher attach to the underside of the table with 5" square metal plates, a box ladder keel spans the length of the table and attaches to the leg frames with threaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	3471.00
D-3072-O-IT2	IT table 30" deep x 72" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high drop edge banding on in solid oak oa all edges, a 10" high monitor rack runs across the back extending forward 10" on each end, and 10" at the center point, dividing the table top into 2 separate work areas, 2 each end frames consisting of 2 3/8" square eased solid oak legs with 2 3/8" high apron and stretcher attach to the underside of the table with 5" square metal plates, a box ladder keel spans the length of the table and attaches to the leg frames with threaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	3506.00



Devain


INFORMATION TECHNOLOGY TABLES WITH MONITOR RACKS



MODEL NUMBER	DESCRIPTION	LIST PRICE
D-3096-O-IT2	IT table 30" deep x 96" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high	4323.00
	drop edge banding on all edges, 10" high monitor rack across the back	
	extending forward 10" on each end, and 10" at the center point, dividing	
	the table top into 2 separate work areas, 2 each end frames consisting of 2 3/8"	
	square eased solid oak legs with 2 3/8" high apron and stretcher attach to the	
	underside of the table with 5" square metal plates, a box ladder keel spans the	
	length of the table and attaches to the leg frames with threaded metal inserts	
	and threaded bolts and to the underside of the table with mechanical fasteners	
D-3096-O-IT3	IT table 30" deep x 96" wide, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high	4369.00
	drop edge banding on all edges, 10" high monitor rack runs across the back	
	extending forward 10" on each end, and 10" at two points point, dividing	
	the table top into 3 separate work areas, 2 each end frames consisting 2 3/8"	
	square eased solid oak legs with 2 3/8" high apron and stretcher attach to the	
	underside of the table with 5" square metal plates, a box ladder keel spans the	
	length of the table and attaches to the leg frames with threaded metal inserts	
	and threaded bolts and to the underside of the table with mechanical fasteners	
SUFFIX -M	For maple IT tables change suffix O to M and add 5 percent	
SUFFIX-C	For cherry tables change suffix O to C an consult factory for upcharge.	



Devain




SINGLE FACE INFORMATION TECHNOLOGY WORK STATIONS WITH ADJUSTABLE HEIGHT WORK SURFACE

MODEL NUMBER	DESCRIPTION	LIST PRICE
D-3136-O-ITS	IT work station starter 31" deep x 36" wide x 39" high, 1 1/2" thick end panels	2875.00
	with 1 3/4" solid oak edge banding on all edges, adjustable height HPL top	
	1 1/4" thick with 3/4" deep solid oak edge banding	
D-3136-O-ITS-A	IT work station adder 31" deep x 36" wide x 39" high, 1 1/8" thick intermediate	2080.00
	panel with 1/4" solid oak edge banding, adjustable height HPL work surface	
	1 1/4" thick with 3/4" deep solid oak edge banding	
D-3148-O-ITS	IT work station starter 31" deep x 48" wide x 39" high, 1 1/2" thick end panels	3369.00
	with 1 3/4" solid oak edge banding on all edges, adjustable height HPL top	
	1 1/4" thick with 3/4" deep solid oak edge banding	
D-3148-O-ITS-A	IT work station adder 31" deep x 48" wide x 39" high, 1 1/8" thick intermediate	2491.00
	panel with 1/4" solid oak edge banding, adjustable height HPL work surface	
	1 1/4" thick with 3/4" deep solid oak edge banding	
D-3172-O-ITS	IT work station starter 31" deep x 72" wide x 39" high, 1 1/2" thick end panels	4797.00
	with 1 3/4" solid oak edge banding on all edges, adjustable height HPL top	
	1 1/4" thick with 3/4" deep solid oak edge banding	
D-3172-O-ITS-A	IT work station adder 31" deep x 72" wide x 39" high, 1 1/8" thick intermediate	3909.00
	panel with 1/4" solid oak edge banding, adjustable height HPL work surface	
	1 1/4" thick with 3/4" deep solid oak edge banding	




Devain



DOUBLE FACE INFORMATION TECHNOLOGY WORK STATIONS WITH ADJUSTABLE HEIGHT WORK SURFACE

MODEL NUMBER	DESCRIPTION	LIST PRICE
D-3136-O-ITDF	Carrel work station, double faced, starter 61" deep x 38" wide x 39" high,	4600.00
	1 1/2" thick end panels with 1 3/4" wide solid oak edge banding on all edges with	
	2 each 1 1/4" thick HPL work surfaces with 3/4" solid oak edge banding	
D-3136-O-ITDF-A	Carrel work station, double faced, adder 61" deep x 36 1/2" wide x 39" high,	2990.00
	1 1/8" thick intermediate panel with 1/4" thick solid oak edge banding on all edges	
	with 2 each 1 1/4" thick HPL work surfaces with 3/4" thick solid oak edge banding	
D-3148-O-ITDF	Carrel work station, double faced, starter 61" deep x 50" wide x 39" high,	5022.00
	1 1/2" thick end panels with 1 3/4" wide solid oak edge banding on all edges	
	with 2 each 1 1/4" thick HPL work surfaces with 3/4" solid oak edge banding	
D-3148-O-ITDF-A	Carrel work station, double faced, adder 61" deep x 48 1/2" wide x 39" high,	3416.00
	1 1/8" thick intermediate panel with 1/4" thick solid oak edge banding on all edges	
	with 2 each 1 1/4" thick HPL work surfaces with 3/4" thick solid oak edge banding	
D-3172-O-ITDF	Carrel work station, double faced, starter 61" deep x 74" wide x 39" high,	6730.00
	1 1/2" thick end panels with 1 3/4" wide solid oak edge banding on all edges	
	with 2 each 1 1/4" thick HPL work surfaces with 3/4" solid oak edge banding	
D-3172-O-ITDF-A	Carrel work station, double faced, adder 61" deep x 72 1/2" wide x 39" high,	4764.00
	1 1/8" thick intermediate panel with 1/4" thick solid oak edge banding with 2 each	
	1 1/4" thick HPL work surfaces with 3/4" thick solid oak edge banding	
SUFFIX-M	For maple carrels change suffix O to M and add 7 percent.	
SUFFIX-C	For cherry tables change suffix O to C an consult factory for upcharge.	





Devain


SINGLE FACE & HEXAGONAL STUDY CARRELS

MODEL NUMBER	DESCRIPTION	LIST PRICE
D-3136-O-C	Carrel work station starter 31" deep x 38" wide x 48" high, 1 1/2" thick end panels with 1 3/4" thick solid oak edge banding on all edges with 1 1/4" thick HPL work surface with 3/4" deep solid oak edge banding	2990.00
D-3136-O-C-A	Carrel work station adder 31" deep x 36 1/2" wide x 48" high, 1 1/8" thick intermediate panel with 1/4" thick solid oak edge banding on all edges with 1 1/4" thick HPL work surface with 3/4" deep solid oak edge banding	1989.00
D-3150-O-C	Carrel work station starter 31" deep x 50" wide x 48" high, 1 1/2" thick end panels with 1 3/4" thick solid oak edge banding on all edges with 1 1/4" thick HPL work surface with 3/4" deep solid oak edge banding	3313.00
D-3148-O-C-A	Carrel work station adder 31" deep x 48 1/2" wide x 48" high, 1 1/8" thick intermediate panel with 1/4" thick solid oak edge banding on all edges with 1 1/4" thick HPL work surface with 3/4" deep solid oak edge banding	2208.00
D-3174-O-C	Carrel work station starter 31" deep x 74" wide x 48" high, 1 1/2" thick end panels with 1 3/4" thick solid oak edge banding on all edges with 1 1/4" thick HPL work surface with 3/4" deep solid oak edge banding and V shape metal keel	4600.00
D-3172-O-C-A	Carrel work station adder 31" deep x 72 1/2" wide x 48" high, 1 1/8" thick intermediate panel with 1/4" thick edge banding on all edges with 1 1/4" thick HPL work surface with 3/4" deep solid oak edge banding and V shape metal keel	3669.00

D-9898-O-HEX	Hexagonal OPAC station with 6 work spaces 98" x 98" with central core for wiring access, 1 1/4" thick HPL work surfaces with 3/4" deep solid oak edge banding, 1 1/8" thick divider panels with 1/4" solid oak edge banding on all edges	10122.00
D-9849-O-1/2HEX	Half hexagonal OPAC station with 3 work spaces 98" x 49" with open central core for wiring access, 1 1/4" thick HPL work surfaces with 3/4" deep solid oak edge banding, 1 1/8" thick divider panels with 1/4" solid oak edge banding on all edges	6556.00



Devain




DOUBLE FACE STUDY CARRELS

MODEL NUMBER	DESCRIPTION	LIST PRICE
D-3136-O-CDF	Carrel work station, double faced, starter 61" deep x 38" wide x 48" high, 1 1/2" thick end panels with 1 3/4" wide solid oak edge banding on all edges with 2 each 1 1/4" thick HPL work surfaces with 3/4" deep solid oak edge banding, back panels are 1 3/16" thick banded with 1/4" solid oak on top and bottom edges	4233.00
D-3136-O-CDF-A	Carrel work station, double faced, adder 61" deep x 36 1/2" wide x 48" high, 1 1/8" thick intermediate and back panel with 1/4" thick edge banding and 2 each 1 1/4" thick HPL work surfaces with 3/4" thick solid oak edge banding	2665.00
D-3148-O-CDF	Carrel work station, double faced, starter 61" deep x 50" wide x 48" high, 1 1/2" thick end panels with 1 3/4" wide solid oak edge banding on all edges with 2 each 1 1/4" thick HPL work surfaces with 3/4" deep solid oak edge banding, back panels are 1 3/16" thick banded with 1/4" solid oak on top and bottom edges	4767.00
D-3148-O-CDF-A	Carrel work station, double faced, adder 61" deep x 48 1/2" wide x 48" high, 1 1/8" thick intermediate and back panel with 1/4" thick edge banding, and 2 each 1 1/4" thick HPL work surfaces with 3/4" thick solid oak edge banding	3151.00
D-3172-O-CDF	Carrel work station, double faced, starter 61" deep x 74" wide x 48" high, 1 1/2" thick end panels with 1 3/4" wide solid oak edge banding on all edges with 2 each 1 1/4" thick HPL work surfaces with 3/4" deep solid oak edge banding, back panels are 1 3/16" thick banded with 1/4" solid oak on top and bottom edges	6545.00
D-3172-O-CDF-A	Carrel work station, double faced, adder 61" deep x 72 1/2" wide x 48" high, 1 1/8" thick intermediate and back panel with 1/4" thick solid oak edge banding and 2 each 1 1/4" thick HPL work surfaces with 3/4" thick solid oak edge banding with V shaped metal keel	4764.00
SUFFIX-M	For maple carrels change suffix O to M and add 7 percent.	
SUFFIX-C	For cherry tables change suffix O to C an consult factory for upcharge.	



Devain

DISPLAY UNITS



MODEL NUMBER	DESCRIPTION	LIST PRICE
D-AS-3045-O	Atlas stand with 1 3/4" solid oak edge banding on end panels with 5 each pull out drawers and sloped top with solid oak edge banding	3661.00
D-DS-2445-O	Dictionary stand with 1 3/4" solid oak edge banding on end panels with base shelf, 1 adjustable shelf and sloped top with solid oak edge banding	2955.00
D-TI-72-DFT-O	Index table double faced, double tier 49" deep x 72" wide x 50" high, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high solid oak drop edge banding on all edges, double tier index rach with removable shelves, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	4317.00
D-TI-90-DFT-O	Index table double faced, double tier 49" deep x 90" wide x 50" high, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high solid oak drop edge banding on all edges, double tier index rach with removable shelves, 2 end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frames with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners	5395.00
D-6331-DSP-O	Display table 63 1/2" wide x 31" deep x 38 11/16" high, HPL top 1 1/4" thick with 3/4" wide x 1 5/8" high solid oak drop edge banding on all edges, 2 each end frames consisting 2 3/8" square eased solid oak legs with 2 3/8" apron and stretcher attach to the underside of the table with 5" square metal leg plates, a box ladder keel spans the length of the table and attaches to the leg frame with treaded metal inserts and threaded bolts and to the underside of the table with mechanical fasteners, the glass display case is 59" wide x 29" deep x 9 11/16" high	6455.00
SUFFIX-M	For maple display products change suffix O to M and add 7 percent	



Devain

END PANELS IN OAK

MODEL NUMBER	DESCRIPTION	LIST PRICE
D-4412-DF-O	End panel 44" high x 12" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	493.00
D-4413-DF-O	End panel 44" high x 13" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	512.00
D-4414-DF-O	End panel 44" high x 14" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	515.00
D-4416-DF-O	End panel 44" high x 16" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	547.00
D-4418-DF-O	End panel 44" high x 18" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	558.00
D-4420-DF-O	End panel 44" high x 20" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	571.00
D-4422-DF-O	End panel 44" high x 22" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	654.00
D-4424-DF-O	End panel 44" high x 24" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	664.00
D-4425-DF-O	End panel 44" high x 25" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	707.00
D-4428-DF-O	End panel 44" high x 28" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	712.00
D-4432-DF-O	End panel 44" high x 32" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	828.00
D-4812-DF-O	End panel 48" high x 12" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	493.00
D-4813-DF-O	End panel 48" high x 13" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	512.00



Devain

END PANELS IN OAK

MODEL NUMBER	DESCRIPTION	LIST PRICE
D-4814-DF-O	End panel 48" high x 14" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	515.00
D-4816-DF-O	End panel 48" high x 16" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	547.00
D-4818-DF-O	End panel 48" high x 18" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	559.00
D-4820-DF-O	End panel 48" high x 20" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	571.00
D-4822-DF-O	End panel 48" high x 22" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	654.00
D-4824-DF-O	End panel 48" high x 24" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	664.00
D-4825-DF-O	End panel 48" high x 25" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	707.00
D-4828-DF-O	End panel 48" high x 28" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	712.00
D-4832-DF-O	End panel 48" high x 32" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	828.00
D-5012-DF-O	End panel 50" high x 12" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	528.00
D-5013-DF-O	End panel 50" high x 13" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	549.00
D-5014-DF-O	End panel 50" high x 14" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	549.00
D-5016-DF-O	End panel 50" high x 16" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	582.00



Devain

END PANELS IN OAK

MODEL NUMBER	DESCRIPTION	LIST PRICE
D-5018-DF-O	End panel 50" high x 18" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	593.00
D-5020-DF-O	End panel 50" high x 20" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	605.00
D-5022-DF-O	End panel 50" high x 22" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	688.00
D-5024-DF-O	End panel 50" high x 24" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	700.00
D-5025-DF-O	End panel 50" high x 25" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	742.00
D-5028-DF-O	End panel 50" high x 28" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	746.00
D-5032-DF-O	End panel 50" high x 32" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	863.00
D-6612-DF-O	End panel 66" high x 12" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	556.00
D-6613-DF-O	End panel 66" high x 13" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	582.00
D-6614-DF-O	End panel 66" high x 14" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	589.00
D-6616-DF-O	End panel 66" high x 16" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	654.00
D-6618-DF-O	End panel 66" high x 18" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	664.00
D-6620-DF-O	End panel 66" high x 20" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	604.00



Devain

END PANELS IN OAK

MODEL NUMBER	DESCRIPTION	LIST PRICE
D-6622-DF-O	End panel 66" high x 22" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	783.00
D-6624-DF-O	End panel 66" high x 24" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	793.00
D-6625-DF-O	End panel 66" high x 25" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	840.00
D-6628-DF-O	End panel 66" high x 28" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	847.00
D-6632-DF-O	End panel 66" high x 32" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	919.00
D-7812-DF-O	End panel 78" high x 12" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	574.00
D-7813-DF-O	End panel 78" high x 13" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	631.00
D-7814-DF-O	End panel 78" high x 14" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	643.00
D-7816-DF-O	End panel 78" high x 16" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	688.00
D-7818-DF-O	End panel 78" high x 18" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	700.00
D-7820-DF-O	End panel 78" high x 20" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	711.00
D-7822-DF-O	End panel 78" high x 22" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	792.00
D-7824-DF-O	End panel 78" high x 24" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	804.00



Devain

END PANELS IN OAK

MODEL NUMBER	DESCRIPTION	LIST PRICE
D-7825-DF-O	End panel 78" high x 25" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	804.00
D-7828-DF-O	End panel 78" high x 28" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	816.00
D-7832-DF-O	End panel 78" high x 32" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	919.00
D-8412-DF-O	End panel 84" high x 12" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	619.00
D-8413-DF-O	End panel 84" high x 13" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	672.00
D-8414-DF-O	End panel 84" high x 14" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	677.00
D-8416-DF-O	End panel 84" high x 16" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	725.00
D-8418-DF-O	End panel 84" high x 18" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	736.00
D-8420-DF-O	End panel 84" high x 20" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	748.00
D-8422-DF-O	End panel 84" high x 22" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	843.00
D-8424-DF-O	End panel 84" high x 24" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	848.00
D-8425-DF-O	End panel 84" high x 25" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	930.00
D-8428-DF-O	End panel 84" high x 28" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	941.00



Devain

END PANELS IN OAK

MODEL NUMBER	DESCRIPTION	LIST PRICE
D-8432-DF-O	End panel 84" high x 32" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	988.00
D-9012-DF-O	End panel 90" high x 12" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	619.00
D-9013-DF-O	End panel 90" high x 13" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	672.00
D-9014-DF-O	End panel 90" high x 14" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	677.00
D-9016-DF-O	End panel 90" high x 16" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	725.00
D-9018-DF-O	End panel 90" high x 18" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	736.00
D-9020-DF-O	End panel 90" high x 20" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	748.00
D-9022-DF-O	End panel 90" high x 22" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	843.00
D-9024-DF-O	End panel 90" high x 24" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	848.00
D-9025-DF-O	End panel 90" high x 25" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	930.00
D-9028-DF-O	End panel 90" high x 28" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	941.00
D-9032-DF-O	End panel 90" high x 32" deep, 1 1/2" thick with 1 3/4" solid oak edge banding on all edges, center panel recesses 3/8" inside the frame	988.00



Devain

END PANELS IN OAK

SUFFIX-M	For maple end panels change suffix O to M and add 7 percent
SUFFIX-C	For cherry end panels change suffix O to C and contact factory for upcharge.

